

Notice of Allowability

Application No.

10/672,470

Examiner

RAMON O. RAMIREZ

Applicant(s)

KIRSCHNER, KRAIG A.

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to original filing.
2. ☒ The allowed claim(s) is/are 1-3.
3. ☒ The drawings filed on 26 September 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 9/26/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John D. McConaghy on May 10, 2004.

The application has been amended as follows:

- a) in claim 1, line 7, "the fire" has been changed to - - a fire - -; and
in line 8, after "end", - - the bracket positioned entirely on a first side of the support and extending from the second end to the first end in a direction away from the support ; has been inserted
- b) on page 5, line 1 of paragraph 26, "rod 50" has been changed to
- - rod, or screw 50 - -.

The change to the specification is made to clarify that the terms rod and screw as used in the specification are synonymous.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: none of the art of record discloses a fire sprinkler mount comprising a base having a support section and

Art Unit: 3632

two parallel arms, each having a support hole, a bracket having a plate with a mounting hole and a retaining hole for receiving a sprinkler, the support holes and mounting holes, and a threaded rod extending through the support holes and the mounting hole, and the bracket entirely positioned on a first side of the support and extending in a direction away from the support.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to examiner **Ramírez** at telephone number (703) 308-0748. The examiner can be normally reached on Monday-Thursday and alternate Fridays.

The fax numbers for this Group are (703) 872-9306 (official papers), and (703) 308-3519 (unofficial papers).

Any inquiry of general nature relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-1113.

R.O. RAMIREZ
May 10, 2004


RAMON O. RAMIREZ
PRIMARY EXAMINER
TECHNOLOGY CENTER 3600
ART UNIT 3632